

Product Information

Bomo-Flex Print Opak MAX

Printable Flex Film for heavily migrating textiles

Bomo-Flex Print Opak MAX is used for motifs and logos on sport, leisure and work wear.

Bomo-Flex Print Opak MAX is a heat-sealable, printable PU textile transfer film (opaque white) suitable for applications on light and dark fabrics as well as sublimated polyester, less suitable for nylon. **Not** suitable for heat transfer on textiles that have a water-repellent finish or impregnation.

Bomo-Flex Print Opak MAX has a "catching layer" which catches wandering pigments and permanently binds them.

Bomo-Flex Print Opak MAX has a semi-gloss surface and excellent opacity.

Processing:

In the conventional way, the motifs are first weeded and then applied the transfer film applied.

As an alternative, the transfer film can first be applied over the entire surface and then the motifs can be weeded.

Transfer requirement

Before the motifs can be transferred using a tape, the ink should be dry, otherwise the print may smudge. Normally no waiting time is necessary, but it can vary depending on the used ink and environmental conditions for up to 5 hours.

Temp: 135 °C

Time: 10 sec

Pressure: medium / high

Transfertape should be removed lukewarm

Wash resistance

Washable up to 60 °C

- Only color or mild detergent
- Wash textiles inside out
- Not suitable for dryer

Particular feature

Wash textile not before 48 hours after printing.

For larger, coherent designs starting from approx A5 size, the washing resistance may deteriorate.

Therefore, we recommend to carry out appropriate washing tests

The technical specifications rest on extensive tests and technical research. Due to the variety of possible influences during refinement, and use, the specifications should be viewed as reference values. We recommend a suitability test on the original material. A legally binding warranty of specific characteristics cannot be derived from our specifications.

VELOURDECOR • FIBRE-WALL • BOMOPRINT